TABLE OF CONTENTS

1.0 INTRODUCTION 1-1
- Riparian Corridor Study and Management Plan Goals 1-1
- Study Area 1-2
- Importance and Functions of Riparian Corridors 1-2
  - Habitat for Mammals, Birds, and Fish 1-4
  - Shading and Water-Temperature Control 1-4
  - Aesthetics 1-4
  - Recreation and Open Space 1-5
  - Floodplain Storage and Flood Damage Reduction 1-5
  - Travel Corridors and Connectivity 1-5
  - Organic Matter Inputs 1-6
  - Filtration of Sediment and Pollutants 1-6
  - Streambank Stability 1-6
  - Storm Water and Irrigation Water Conveyance 1-7
- Public Outreach and Involvement 1-7
  - Public Workshops 1-8
  - Riparian Corridor Study Subcommittee Meetings 1-9
  - Interactive Web Page 1-9
- Management Plan Approach 1-9

2.0 BASELINE ASSESSMENT METHODS 2-1
- Study Reaches 2-1
- Stream Condition Assessment 2-2
  - Field Data Collection 2-3
  - Analyses Using Digital Data 2-4
- Vegetation Assessment 2-5
  - Field Mapping 2-5
  - Vegetation Community Classifications 2-6
  - Data Analysis 2-7
- Watershed and Historical Information 2-7

3.0 BASELINE ASSESSMENT RESULTS 3-1
- Watershed Conditions 3-1
  - Size and Land Use 3-1
  - Hydrology 3-2
  - Water Quality 3-4
  - Geology and Soils 3-4
  - Fish, Birds, and Wildlife 3-5
- Historical Conditions and Current Trends 3-5
  - Red Butte Creek History 3-5
  - Alterations to the Riparian Corridor 3-8
  - Urban Channel Adjustments 3-10
  - Recent and Anticipated Future Trends 3-11

Stream and Vegetation Conditions 3-11
Stream Channel Characteristics 3-11
Vegetation Characteristics 3-13
Issues Affecting Riparian Functions 3-17
Aesthetics 3-17
Wildlife Habitat and Connectivity 3-19
Nutrient Filtration and Sediment Trapping 3-19
Stream Stability 3-20

4.0 RECOMMENDED IMPROVEMENT PROJECTS 4-1
Overview of Project Types 4-1
General Projects 4-1
Stream Cleanup 4-1
Mechanized Trash Removal 4-2
Stream Adoption 4-2
Removal of Invasive Plant Species 4-3
Revegetation with Native Plants 4-6
Biotechnical Slope Stabilization 4-7
Local-Scale Projects 4-12
Storm Drain Outlet Protection 4-12
Stream Crossings and Culvert Replacement 4-12
Culvert Outlet Protection 4-13
Stream Daylighting 4-13
No-trespassing Signage 4-14
Reach-Scale Projects 4-14
Grade Control 4-14
Bank Stabilization 4-15
Access Control and Trail Stabilization 4-16
Watershed-Scale Projects 4-17
Manage and Reduce Impervious Surfaces 4-17
Explore Instream Flow Opportunities 4-17
Increase Public Awareness 4-18
Permitting Requirements 4-18
State Stream Alteration 4-18
County Flood Control 4-18
City Riparian Protection 4-20
Relative Costs of Improvement Projects 4-20
Maintenance and Monitoring Considerations 4-22
Grant Resources for Funding Improvement Projects 4-25

5.0 RIPARIAN CORRIDOR VISION 5-1
Summary of Stakeholder Input 5-1
Public Workshop 1 5-1
Public Workshop 2 5-1
Public Workshop 3 5-2
Public Workshop 4 5-3
Meetings with University of Utah and VA Medical Center 5-3

Red Butte Creek Riparian Corridor Vision Statement 5-4
Riparian Corridor Priorities 5-4
Riparian Enhancement Potential 5-5
Implementation Approaches 5-9
Action Items 5-10

REFERENCES R-1

GLOSSARY OF TERMS G-1

LIST OF FIGURES

Figure 1.1. Emigration, Red Butte, Parleys, and City Creeks study areas. 1-2

Figure 1.2. Schematic illustration of major interactions among riparian corridor resources and processes. 1-3

Figure 1.3. One hundred-foot Riparian Corridor Overlay Zone ordinance riparian corridor. 1-4

Figure 1.4. Organizational Chart for the Salt Lake City Riparian Corridor Management Plans. 1-10

Figure 1.5. Timeline of Salt Lake City Riparian Corridor Studies and Management Plans. 1-10

Figure 2.1. Red Butte Creek reach map. 2-1

Figure 2.2. Using digital elevation data to draw the channel centerline. 2-4

Figure 3.1. Red Butte Creek watershed. 3-1

Figure 3.2. Relationship between impervious cover and surface runoff. Impervious cover in a watershed results in increased surface runoff.. 3-2

Figure 3.3. Monthly flows at Salt Lake County's gage at 1600 East and the U.S. Geological Survey gage above Red Butte Reservoir. 3-3

Figure 3.4. A comparison of hydrographs before and after urbanization. The discharge curve is higher and steeper for urban streams than for natural streams. 3-3

Figure 3.5. Streamflow response to April 25 storm event (0.5 inch of rain between midnight and 3:30 AM) at the gages above the reservoir and 1600 East. 3-4

Figure 3.6. Red Butte Creek historical timeline. 3-6

Figure 3.7. 1938 aerial photograph of Red Butte Creek from 900 South to 1500 East. 3-9

Figure 3.8. 1938 aerial photograph of Red Butte Creek from Foothill Drive to Sunnyside Avenue. 3-9

Figure 3.9. Illustration of streambed lowering (incision) process common on urbanized streams. Following initial incision (B), the channel may continue to incise and widen until a new equilibrium channel/floodplain geometry is reached, posing a potential risk to urban development on terrace surfaces adjacent to the channel. 3-10

Figure 3.10. Cross-section plots extrapolated from digital elevation data. 3-12

Figure 3.11. Longitudinal profile plot of Red Butte Creek streambed. 3-14

Figure 4.1. Schematic illustration of a contributing watershed area draining to an urban riparian corridor. 4-1

Figure 4.2. Importance of slope steepness in selecting appropriate revegetation and stabilization measures. 4-10

Figure 4.3. Schematic illustration of toe, bank, and upper slope zones and recommended treatment approaches. 4-10

Figure 4.4. Photographs of revegetation and biotechnical slope-stabilization techniques. 4-11

Figure 4.5. Photographs of outlet protection and stream crossing techniques. 4-13

Figure 4.6. Photographs of grade-control, bank-stabilization, and access-control techniques. 4-14

LIST OF TABLES

Table 2.1. Reach names. 2-2

Table 3.1 Summary of streambed material, channel geometry, and slope data. 3-13

Table 3.2. Dominant species noted during Red Butte Creek vegetation mapping work. 3-15

Table 3.3. List of mapped canopy, shrub, and understory plant species found in each assessed stream reach 3-16

Table 3.4. Percent cover and invasive species class for mapped vegetation polygons. 3-18

Table 3.5. Size and condition of stream crossing culverts in the study area. 3-21

Table 4.1. List of weeds and invasive species to avoid planting within the riparian corridor. Where these species are present, they should be controlled using appropriate techniques and replaced with native species. 4-4

Table 4.2. Recommended native canopy (tree) species for planting efforts within the riparian corridor. 4-7

Table 4.3. Recommended native shrub species for planting efforts within the riparian corridor. 4-8

Table 4.4. Recommended native understory (ground cover) species for planting efforts within the riparian corridor. 4-9

Table 4.5. Summary of permit requirements for recommended types of improvement projects. 4-19

Table 4.6. Approximate unit cost information for improvement projects. 4-21

Table 4.7 Summary of relative project costs and potential riparian function benefits. 4-23

Table 4.8. Summary of maintenance and monitoring considerations for various improvement projects. 4-24

Table 4.9. Information on funding programs to support riparian corridor improvement projects. 4-25

Table 5.1. Relative need for various improvement measures by reach. 5-6

Table 5.2. Relative needs for stream crossing culvert replacement and improvement projects within the Red Butte Creek riparian corridor. 5-7

Table 5.3. Factors affecting relative riparian enhancement potential by reach. 5-8

APPENDIX A: DATA FORMS

APPENDIX B: DETAIL DRAWINGS OF SELECTED IMPROVEMENT TECHNIQUES

APPENDIX C: REACH MAPS, SUMMARIES, AND RECOMMENDATIONS

APPENDIX D: COST ESTIMATES FOR STUDY REACHES